



引用文献

本書引用文献・参考文献の書誌情報は、朝倉書店ウェブサイト (<https://www.asakura.co.jp/>) よりダウンロードできます。検索の際にご活用ください。

≡ 第1章

- 青木淳一：土壤動物学，北隆館，1973（新訂版，2010）。
- 金子信博：土壤生態学入門—土壤動物の多様性と機能—，東海大学出版会，2007。
- 金子信博：土壤動物の多様性と機能。地球環境学事典（総合地球環境学研究所編），弘文堂，pp.146-147，2010。
- 金子信博：土に棲む動物。土の百科事典（土の百科事典編集委員会編），丸善出版，pp.30-33，2014。
- 金子信博・伊藤雅道：土壤動物の生物多様性と生態系機能。日本生態学会誌，**54**，201-207，2004。
- Cebrian, J. : Patterns in the fate of production in plant communities. *Am. Nat.*, **154**, 449-468, 1999.
- Darwin, C. : *The Formation of Vegetable Mould Through the Action of Worms with Observations of Their Habits*, John Murray, 1881.
- Fierer, N. and R.B. Jackson : The diversity and biogeography of soil bacterial communities. *PNAS*, **103**, 626-631, 2006.
- Jones, C.G. *et al.* : Organisms as ecosystem engineers. *Oikos*, **69**, 373-386, 1994.
- Kawaguchi, T. *et al.* : Mineral nitrogen dynamics in the casts of epigeic earthworms (*Metaphire hilgendorfi* : Megascolecidae). *Soil Sci. Plant Nutr.*, **57**, 387-395, 2011. doi : 10.1080/00380768.2011.579879
- Petersen, H. and M. Luxton : A comparative analysis of soil fauna populations and role in decomposition process. *Oikos*, **39**, 287-388, 1982.
- Ramirez, K.S. *et al.* : Biogeographic patterns in below-ground diversity in New York City's Central Park are similar to those observed globally. *Proc. R. Soc. B*, **281**, 20141988, 2014.
- Swift, M. J. *et al.* : *Decomposition in Terrestrial Ecosystems*. Blackwell, Oxford University Press, 1979.

≡ 第2章

- 青木義幸：森林土壌のシリカサイクルにおける有殻アメーバの役割。土と微生物，**61**，61-64，2007。
- 石栗 秀：MPN法。新編土壌微生物実験法（土壌微生物研究会編），養賢堂，pp.45-52，1992。
- 井上 勲：藻類30億年の自然史—藻類からみる生物進化・地球・環境—第2版，東海大学出版会，2007。
- 島野智之：根圏の原生動物。根の研究，**11**，107-117，2002。
- 島野智之：根圏における原生物の役割—土壌原生物とバクテリアおよび植物根との関連について—。土と微生物（Soil Microorganisms），**61**，41-48，2007。
- 島野智之：畑土壌における原生物および繊毛虫群集の新たな解析法—顕微鏡的手法と分子生物学的手法

- 一. 土壌の原生生物・線虫群集—その土壌生態系での役割— (日本土壌肥科学会編), 博友社, pp.69-89, 2009.
- 島野智之: 界, ドメイン, そしてスーパーグループ—真核生物の高次分類に関する新しい概念—. タクサ (日本動物分類学会誌), **29**, 31-49, 2010.
- 島野智之: 真核生物の高次分類体系の改訂. タクサ (日本動物分類学会誌), **43**, 62-67, 2017.
- 高橋忠夫他: 家畜スラリーを投与した畑における繊毛虫の種組成と個体数およびバイオマスについて (講演要旨). 日本原生動物学会誌, **39**, 117-118, 2006.
- 中野伸一: 湖沼・海洋沖帯の微生物ループにおける原生生物の生態学的役割. 原生動物学雑誌, **48**(1, 2), 21-30, 2015.
- Adl, S. M. : Motility and migration rate of protozoa in soil columns. *Soil Biol. Biochem.*, **39**(2), 700-703, 2007.
- Adl, S. M. and V. V. S. R. Gupta : Protists in soil ecology and forest nutrient cycling. *Can. J. Forest Res.*, **36**(7), 1805-1817, 2006. doi : 10.1139/x06-056
- Adl, S. M. *et al.* : The new higher level classification of eukaryotes with emphasis on the taxonomy of protists. *J. Eukaryot. Microbiol.*, **52**, 399-451, 2005.
- Adl, S. M. *et al.* : Protozoa. In : *Soil Sampling and Methods of Analysis* 2nd ed. (Carter, M. ed.), Canadian Soil Science Society, CRC Press, 2007.
- Adl, S. M. *et al.* : The revised classification of eukaryotes. *J. Eukaryot. Microbiol.*, **59**(5), 429-493, 2012. doi : 10.1111/j.1550-7408.2012.00644.x
- Adl, S. M. *et al.* : Review : Amplification primers of SSU rDNA for soil protists. *Soil Biol. Biochem.*, **69**, 328-342, 2014.
- Aoki, Y. *et al.* : Silica and testate amoebae in a soil under pine-oak forest. *Geoderma*, **142**(1-2), 29-35, 2007.
- Bonkowski, M. and F. Brandt : Do soil protozoa enhance plant growth by hormonal effects? *Soil Biol. Biochem.*, **34**, 1709-1715, 2002.
- Bonkowski, M. and M. Schaefer : Trophische interaktionen von regenwürmern und protozoen. *Verh. Ges. Ökologie*, **26**, 283-286, 1996.
- Bonkowski, M. *et al.* : Substrate heterogeneity and microfauna in soil organic hotspots as determinants of nitrogen capture and growth of rye-grass. *Appl. Soil Ecol.*, **14**, 37-53, 2000.
- Cavalier-Smith, T. : A revised six-kingdom system of life. *Biol. Rev. Camb. Philos. Soc.*, **73**, 203-266, 1998.
- Cavalier-Smith, T. : The phagotrophic origin of eukaryotes and phylogenetic classification of protozoa. *Int. J. Sys. Evol. Microbiol.*, **52**, 297-354, 2002.
- Clarholm, M. : Interactions of bacteria, protozoa and plants leading to mineralization of soil nitrogen. *Soil Biol. Biochem.*, **17**, 181-187, 1985.
- Clarholm, M. : The microbial loop in soil. In : *Beyond the Biomass* (Riz, K. *et al.* eds.), pp.221-230, Wiley-Sayce, 1994.
- Coleman, D. C. *et al.* : *Fundamentals of Soil Ecology* 2nd edition, Academic Press, 2004.
- Darbyshire, J. F. : Nitrogen fixation by *Azotobacter chroococcum* in the presence of *Colpoda steini*. I—

- The influence of temperature—. *Soil Biol. Biochem.*, **4**, 359-369, 1972.
- Fenchel, T. : Ecological physiology : Feeding. In : *Ecology of Protozoa—The Biology of Free-living Phagotrophic Protist*—, pp.32-52, Science Tech Publishers Madison, 1980.
- Foissner, W. : Soil protozoa : Fundamental problems, ecological significance, adaptations in ciliates and tetaceans, bioindicators, and guide to the literature. *Progr. Protistol.*, **2**, 69-212, 1987.
- Foissner, W. : Soil protozoa as bioindicators : Pros and cons, methods, diversity, representative examples. *Agric., Ecosyst. Environ.*, **74** : 95-112, 1999.
- Geisen, S. *et al.* : Soil protistology rebooted : 30 fundamental questions to start with. *Soil Biol. Biochem.*, **111**, 94-103, 2017.
- Griffiths, B.S. : Enhanced nitrification in the presence of bacteriophagous protozoa. *Soil Biol. Biochem.*, **21**, 1045-1051, 1989.
- Griffiths, B.S. : Soil nutrient flow. In : *Soil Protozoa* (Darbyshire J.F. ed.), pp.65-91, CABI, 1994.
- Griffiths, B.S. *et al.* : The effect of nitrate-nitrogen supply on bacteria and bacterial-feeding fauna in the rhizosphere of different grass species. *Oecologia*, **91**, 253-259, 1992.
- Hattori, T. : Soil aggregates are microhabitats of microorganisms. *Rep. Inst. Agric. Res. Tohoku Univ.*, **37**, 23-36, 1988.
- Hattori, T. : Distribution and movement of protozoa within and among soil aggregates. *Bull. Jpn. Soc. Microb. Ecol.*, **7**, 69-74, 1992.
- Hattori, T. : Soil microenvironment. In : *Soil Protozoa* (Darbyshire J.F. ed.), pp.43-64. CABI, 1994.
- Jassey, E. *et al.* : Characterization of the feeding habit of the testate amoebae *Hyalosphenia papilio* and *Nebela tinctoria* along a narrow fen-bog gradient using digestive vacuole content and ¹³C and ¹⁵N isotopic analyses. *Protist*, **163**, 451-464, 2012.
- Kuikman, P. J. and J. A. van Veen : The impact of protozoa on the availability of bacterial nitrogen to plants. *Biol. Fertil. Soils*, **8**, 13-18, 1989.
- Lebuhn, M. *et al.* : Effects of drying/rewetting stress on microbial auxin production and L-tryptophan catabolism in soils. *Biol. Fertil. Soils*, **18**, 302-310, 1994.
- Mahé, F. *et al.* : Parasites dominate hyper diverse soil protist communities in neotropical rainforests. *Nat. Ecol. Evol.*, **1**, 0091, 2017.
- Murase, J. and P. Frenzel : A methane-driven microbial food web in a wetland rice soil. *Environ. Microbiol.*, **9**(12), 3025-3034, 2007.
- Pawlowski, J. *et al.* : CBOL Protist Working Group : Barcoding eukaryotic richness beyond the animal, plant and fungal kingdoms. *PLoS Biology*, **10**(11), e1001419, 2012. doi : 10.1371/journal.pbio.1001419.
- Rønn, R. *et al.* : Optimizing soil extract and broth media for MPN-enumeration of naked amoebae and heterotrophic flagellates in soil. *Pedobiologia*, **39**, 10-19, 1995.
- Ruggiero, M. A. *et al.* : A higher level classification of all living organisms. *PLoS ONE*, **10**, e0119248, 2015.
- Shimano, S. *et al.* : Linkage between light microscopic observations and molecular analysis by single-cell PCR for ciliates. *Microb. Environ.*, **23**, 356-359, 2008.

- Vargas, R. and T. Hattori : The distribution of protozoa among soil aggregates. *FEMS Microbiol. Lett.*, **74**(1), 73-77, 1990.
- Verhagen, F. J. M. *et al.* : Effects of grazing by flagellates on competition for ammonium between nitrifying and heterotrophic bacteria in soil columns. *Appl. Environ. Microbiol.*, **59**, 2099-2106, 1993.
- Woese, C. R. *et al.* : Towards a natural system of organisms : Proposal for the domains Archaea, Bacteria, and Eucarya. *PNAS*, **87**, 4576-4579, 1990.

≡ 第3章

- 石橋信義：有用線虫の探索とその大量生産ならびに施用法のシステム化。課題番号 02506001 平成4年度科学研究補助金 文部省試験研究 A (1) 研究成果報告書。1993.
- 九州沖縄農業研究センター：有害線虫総合防除技術マニュアル。2013.
- 岡田浩明：土壌生態系における線虫の働き—特に無機態窒素の動態への関わり—。根の研究, **11**, 3-6, 2002.
- 岡田浩明：糸状菌食性線虫の生態及び植物病害抑制への利用。東北農業研究センター研究報告, **105**, 155-197, 2006.
- 水久保隆之：日本の線虫防除研究と防除技術の動向—日本線虫学会 20 周年記念事業：線虫防除に関するアンケート (1999~2011 年度) の集計—。 *Nematological Research* (日本線虫学会誌), **45**, 63-76, 2015.
- Bever, J. D. : Feedback between plants and their soil communities in an old field community. *Ecology*, **75**, 1965-1977, 1994.
- De Deyn, G. B. *et al.* : Soil invertebrate fauna enhances grassland succession and diversity. *Nature*, **422**, 711-713, 2003.
- Djigal, D. *et al.* : Shifts in size, genetic structure and activity of the soil denitrifier community by nematode grazing. *Eur. J. Soil Biol.*, **46**, 112-118, 2010.
- Ferris, H. *et al.* : Population energetics of bacterial-feeding nematodes : Carbon and nitrogen budgets. *Soil Biol. Biochem.*, **29**, 1183-1194, 1997.
- van der Heijden, M. G. A. *et al.* : Mycorrhizal fungal diversity determines plant biodiversity, ecosystem variability and productivity. *Nature*, **396**, 69-72, 1998.
- Huixin, L. *et al.* : Effects of temperature on population growth and N mineralization of soil bacteria and bacterial-feeding nematode. *Microb. Environ.*, **16**, 141-146, 2001.
- Irshad, U. *et al.* : Grazing by nematodes on rhizosphere bacteria enhances nitrate and phosphorus availability to *Pinus pinaster* seedlings. *Soil Biol. Biochem.*, **43**, 2121-2126, 2011.
- Khan, Z. and Y. H. Kim : The predatory nematode, *Mononchoides fortidens* (Nematoda : Diplogasterida), suppresses the root-knot nematode, *Meloidogyne arenaria*, in potted field soil. *Biol. Control*, **35**, 78-82, 2005.
- Knox, O. G. G. *et al.* : Effect of nematodes on rhizosphere colonization by seed-applied bacteria. *Appl. Environ. Microbiol.*, **70**, 4666-4671, 2004.
- Mamiya, Y. *et al.* : Ability of wood-decay fungi to prey on the pinewood nematode, *Bursaphelenchus xylophilus* (Steiner and Buhner) Nickle. *Jpn. J. Nematol.* (日本線虫学会誌), **35**, 21-30, 2005.

- Mao, X. *et al.* : Do bacterial-feeding nematodes stimulate root proliferation through hormonal effects? *Soil Biol. Biochem.*, **39**, 1816-1819, 2007.
- Miura, F. *et al.* : Dynamics of soil biota at different depths under two contrasting tillage practices. *Soil Biol. Biochem.*, **40**, 406-414, 2008.
- Oka, Y. : Mechanisms of nematode suppression by organic soil amendments—A review—. *Appl. Soil Ecol.*, **44**, 101-115, 2010.
- Okada, H. and H. Ferris : Effect of temperature on growth and nitrogen mineralization of fungi and fungal-feeding nematodes. *Plant Soil*, **234**, 253-262, 2001.
- Okada, H. and H. Harada : Effects of tillage and fertilizer on nematode communities in a Japanese soybean field. *Appl. Soil Ecol.*, **35**, 582-598, 2007.
- Okada, H. and I. Kadota : Host status of 10 fungal isolates for two nematode species, *Filenchus misellus* and *Aphelenchus avenae*. *Soil Biol. Biochem.*, **35**, 1601-1607, 2003.
- Okada, H. *et al.* : How different or similar are nematode communities between a paddy and an upland rice fields across a flooding-drainage cycle? *Soil Biol. Biochem.*, **43**, 2142-2151, 2011.
- Okada, H. *et al.* : Nematode fauna of paddy field flooded all year round. *Nematological Research* (日本線虫学会誌), **46**, 65-70, 2016.
- Olf, H. *et al.* : Small-scale shifting mosaics of two dominant grassland species : The possible role of soil-borne pathogens. *Oecologia*, **125**, 45-54, 2000.
- Sánchez-Moreno, S. and H. Ferris : Suppressive service of the soil food web : Effects of environmental management. *Agric., Ecosyst. Environ.*, **119**, 75-87, 2007.
- Siddiqi, M. R. : *Tylenchida Parasites of Plants and Insects*, CABI Publishing, 2000.
- Stirling, G. R. : *Biological Control of Plant-parasitic Nematodes : Soil Ecosystem Management in Sustainable Agriculture*, CABI, 2014.
- Timper, P. *et al.* : Resiliency of a nematode community and suppressive service to tillage and nematicide application. *Appl. Soil Ecol.*, **59**, 48-59, 2012.
- Treonis, A. M. *et al.* : Identification and localization of food-source microbial nucleic acids inside soil nematodes. *Soil Biol. Biochem.*, **42**, 2005-2011, 2010.

≡ 第4章

青木淳一 : 日本産土壤動物—分類のための図解検索 第2版—, 東海大学出版部, 2015.

青木淳一 : 土壤動物学—未知な分野の開拓—. *Edaphologia*, **100**, 3-6, 2017.

新島漢子・有村利浩 : ヤンバルトサカヤスデによる列車妨害記録. *Edaphologia*, **69**, 47-49, 2002.

日本分類学会連合 : 第1回日本産生物種数調査, 2003. <http://ujssb.org/biospnum/search.php>

布村 昇 : 土壤動物の外来種. 土壤動物学への招待—採集からデータ解析まで—(日本土壤動物学会編), 東海大学出版会, pp.223-224, 2007.

宮下和喜 : 小笠原の帰化動物. 小笠原研究年報, **4**, 47-54, 1980.

Anderson, J. M. : Inter- and Intra-habitat relationships between woodland Cryptostigmata species diversity and the diversity of soil and litter microhabitats. *Oecologia*, **32**, 341-348, 1978.

- Aoki, J. : Microhabitats of oribatid mites on a forest floor. *Bul. Nat. Sci. Mus. Tokyo*, **10**, 133-138, 1967.
- Burke, J.L. *et al.* : Invasion by exotic earthworms alters biodiversity and communities of litter- and soil-dwelling oribatid mites. *Diversity*, **3**, 155-175, 2011.
- Dadashipoura, M. *et al.* : Discovery and molecular and biocatalytic properties of hydroxynitrile lyase from an invasive millipede, *Chamberlinius hualienensis*. *PNAS*, **112**, 10605-10610, 2015.
- De Deyn, G.B. and W.H. Van der Putten : Linking aboveground and belowground diversity. *Trends Ecol. Evol.*, **20**, 625-633, 2005.
- Decaëns, T. : Macroecological patterns in soil communities. *Glob. Ecol. Biogeogr.*, **19**, 287-302, 2010.
- Harvey, M.S. : Pseudoscorpions of the World, version 2.0. Western Australian Museum, Perth, 2011. <http://www.museum.wa.gov.au/catalogues/pseudoscorpions>
- Hickling R. *et al.* : The distributions of a wide range of taxonomic groups are expanding polewards. *Glob. Change Biol.*, **12**, 450-455, 2006.
- Ikeda, H. *et al.* : Loss of flight promotes beetle diversification. *Nat. Commun.*, **3**, 648, 2012.
- Kaneko, N. : Feeding habitats and cheliceral size of oribatid mites in cool temperate forest soils in Japan. *Rev. Ecol. Biol. Sol*, **25**, 353-363, 1988.
- Kaneko, N. *et al.* : Species assemblage and biogeography of Japanese *Protura* (Hexapoda) in forest soils. *Diversity*, **4**, 318-333, 2012.
- Karasawa, S. and M. Honda : Taxonomic study of the *Burmoniscus ocellatus* complex (Crustacea, Isopoda, Oniscidea) in Japan shows genetic diversification in the southern Ryukyus, southwestern Japan. *Zool. Sci.*, **29**, 527-537, 2012.
- Karasawa, S. *et al.* : Phylogeographic study of whip scorpions (Chelicerata : Arachnida : Thelyphonida) in Japan and Taiwan. *Zool. Sci.*, **32**, 352-363, 2015.
- Maraun, M. *et al.* : Awesome or ordinary? Global diversity patterns of oribatid mites. *Ecography*, **30**, 209-216, 2007.
- Matsumoto, Y. *et al.* : Feeding habitats of the marine toad, *Bufo marinus*, in the Bonin Islands, Japan. *Jpn. J. Ecol.*, **34**, 289-297, 1984.
- Moreau, J. *et al.* : Sexual selection in an isopod with *Wolbachia*-induced sex reversal : Males prefer real females. *J. Evol. Biol.*, **14**, 388-394, 2001.
- Norton, R.A. *et al.* : Phylogenetic perspective on genetic systems and reproductive modes of mites. In : *Evolution and Diversity of Sex Ratio in Insects and Mites* (Wrensch, D.L. and M.A. Ebbert eds.), Chapman and Hall, pp.8-99, 1993.
- Parker, E.D. : Geographic parthenogenesis in terrestrial invertebrates : General or specialist clones? In : *Reproductive Biology of Invertebrates* (Hughes, R.N. ed), John Wiley & Sons, Ltd., pp.93-114, 2002.
- Petersen, H. : Population dynamic and metabolic characterization of Collembola species in a beech forest ecosystem. In : *Soil Biology as Related to Land Use Practices* (Dindal, D.L. ed.), Office of Pesticide and Toxic Substance, pp.806-833, 1980.
- Pike, N. and R. Kingcombe : Antibiotic treatment leads to the elimination of *Wolbachia* endosymbionts and sterility in the diploid diploid collembolan *Folsomia candida*. *BMC Biol.*, **7**, 54, 2009.

- Saitoh, S. *et al.* : A quantitative protocol for DNA metabarcoding of springtails (Collembola). *Genome*, **59**, 705-723, 2016.
- Ulricha, W. and C. Fierab : Environmental correlates of species richness of European springtails (Hexapoda : Collembola). *Acta Oecol.*, **35**, 45-52, 2009.
- White, M. J. D. : Chromosomal mechanisms in animal reproduction. *Boll. zool.*, **51**, 1-23, 1984.
- Wilson, E. O. : The nature of the taxon cycle in the Melanesian ant fauna. *Am. Nat.*, **95**, 169-193, 1961.
- ≡ 第5章
- 石塚小太郎 : 日本産フトミミズ属 (Genus *Pheretima s. lat.*) の分類学的研究. 成蹊大学一般研究報告, **33** (3), 1-125, 2001.
- 内田智子・金子信博 : 神奈川県内の2ヶ所の林地におけるフトミミズ類の生活史. *Edaphologia*, **74**, 35-45, 2004.
- 金子信博 : 土壤生態学入門—土壤動物の多様性と機能—, 東海大学出版会, 2007.
- 金子信博 : 土壤動物は土壤微生物の機能をどのように引き出すか? 土と微生物, **69**, 87-92, 2015.
- 上平幸好 : 東北地方における陸棲貧毛類の分布に関する考察. 函館短期大学紀要, **30**, 23-32, 2004.
- 小林新二郎 : 四国, 中国, 近畿及中部諸地方の陸棲貧毛類に就て. 動物学雑誌, **53**, 258-266, 1941a.
- 小林新二郎 : 九州地方陸棲貧毛類相の概況. 植物及動物, **9**, 511-518, 1941b.
- 中村好男 : 地球環境時代における日本の土 土壤動物と作物根の土壤環境 ミミズの活用. 農業および園芸, **73**(1), 165-170, 1998.
- 南谷幸雄 : フトミミズ類の属分類を巡る分類学的混乱. ミミズ情報通信, **41**, 18-21, 2015.
- 山口英二 : 貧毛類. 動物系統分類学 第6巻 (体節動物, 環形動物, 有爪動物, 緩歩動物, 舌形動物), 中山書店, pp.130-193, 1967.
- Barois, I. and P. Lavelle : Changes in respiration rate and some physicochemical properties of a tropical soil during transit through *Pontoscolex corethrurus* (Glossoscolecidae, Oligochaeta). *Soil Biol. Biochem.*, **18**, 539-541, 1986.
- Blakemore, R. J. : Japanese earthworms revisited a decade on. *Zoology in the Middle East*, **58**(suppl 4), 15-22, 2012.
- Blanchart, E. *et al.* : Effects of earthworms on soil structure and physical properties. In : *Earthworm Management in Tropical Agroecosystems* (Lavelle, P. *et al.* eds.). CABI, pp.149-172, 1999.
- Bottinelli, N. *et al.* : Earthworms accelerate soil porosity turnover under watering conditions. *Geoderma*, **156**, 43-47, 2010.
- Bouché, M. B. : The establishment of earthworm communities. In : *Earthworm Ecology, From Darwin to Vermiculture* (Satchell, J. E. ed.), Chapman and Hall, pp.431-448, 1983.
- Briones, M. J. I. and O. Schmidt : Conventional tillage decreases the abundance and biomass of earthworms and alters their community structure in a global meta-analysis. *Glob. Change Biol.*, **23**(10), 4396-4419, 2017. doi : 10.1111/gcb.13744
- Brown, G. G. : How do earthworms affect microfloral and faunal community diversity? In : *The Significance and Regulation of Soil Biodiversity* (Collins, H. P. *et al.* eds.), Kluwer Academic Publishers, pp.

- 227-269, 1995.
- Curry, J.P. and O. Schmidt : The feeding ecology of earthworms—A review—. *Pedobiologia*, **50**, 463-477, 2007.
- Drake, H.L. and M. A. Horn : As the worm turns : The earthworm gut as a transient habitat for soil microbial biomes. *Annu. Rev. Microbiol.*, **61**, 169-189, 2007.
- van Groenigen, J. W. *et al.* : Earthworms increase plant production : A meta-analysis. *Sci. Rep.*, **4**, 6365, 2014. doi : 10.1038/srep06365
- Guzyte, G. *et al.* : Effects of salinity on earthworm (*Eisenia fetida*). Environmental Engineering. The 8th International Conference May 19-20, 2011, Vilnius, Lithuania Selected Paper, pp.111-114, 2011.
- Hamilton, W. E. and D. Y. Sillman : Influence of earthworm middens on the distribution of soil microarthropods. *Biol. Fertil. Soils*, **8**, 279-284, 1989.
- Ishizuka, K. : A review of the genus *Pheretima s. lat.* (Megascolecidae) from Japan. *Edaphologia*, **62**, 55-80, 1999.
- Ivask, M. *et al.* : Effect of flooding by fresh and brackish water on earthworm communities along Matsalu Bay and the Kasari River. *Eur. J. Soil Biol.*, **53**, 11-15, 2012.
- Iwashima, N. *et al.* : Effect of vegetation switch on soil chemical properties. *Soil Sci. Plant Nutr.*, **58**, 783-792, 2012. doi : 10.1080/00380768.2012.738183
- Kavdir, Y. and R. Ilay : Earthworms and soil structure. In : *Biology of Earthworms* (Karaca, A. ed.), Springer-Verlag, pp.39-50, 2011.
- Kawaguchi, T. *et al.* : Mineral nitrogen dynamics in the casts of epigeic earthworms (*Metaphire hilgendorfi* : Megascolecidae). *Soil Sci. Plant Nutr.*, **57**, 387-395, 2011. doi : 10.1080/00380768.2011.579879
- Langmaack, M. *et al.* : Quantitative analysis of earthworm burrow systems with respect to biological soil-structure regeneration after soil compaction. *Biol. Fertil. Soils*, **28**, 219-229, 1999.
- Lavelle, P. : The structure of earthworm communities. In : *Earthworm Ecology, From Darwin to Vermiculture* (Satchell, J.E. ed.), Chapman and Hall, pp.449-466, 1983.
- Lavelle, P. and A. V. Spain : *Soil Ecology*, Kluwer Academic Publishers, 2001.
- Lubbers, I.M. *et al.* : Can earthworms simultaneously enhance decomposition and stabilization of plant residue carbon? *Soil Biol. Biochem.*, **105**, 12-24, 2017. doi : 10.1016/j.soilbio.2016.11.008
- Michaelsen, W. : Die Verbreitung der Oligochäten im Lichte der Wegenerischen Theorie der Kontinenten-Verschiebung und andere Fragen zur Stammesgeschichte und Verbreitung dieser Tiergruppe. *Verh. Vereins Naturwiss. Unterhal. Hamburg*, **29**, 45-79, 1921.
- Nozaki, M. *et al.* : The contribution of endogenous cellulase to the cellulose digestion in the gut of earthworm (*Pheretima hilgendorfi* : Megascolecidae). *Soil Biol. Biochem.*, **41**, 762-769, 2009.
- Omodeo, P. : Evolution and biogeography of megadriles (Annelida, Clitellata). *Ital. J. Zool.*, **67**, 179-201, 2000.
- Paoletti, M.G. : The role of earthworms for assessment of sustainability and bioindicators. *Agric., Ecosyst. Environ.*, **74**, 137-155, 1999.
- Ponge, J.F. : Plant-soil feedbacks mediated by humus forms : A review. *Soil Biol. Biochem.*, **57**, 1048-

- 1060, 2013.
- Reynolds, J. W. : Earthworms of the world. *Glob. Biodivers.*, **4**, 11-16, 1994.
- Rousset, V. *et al.* : A molecular phylogeny of annelids. *Cladistics*, **22**, 1-23, 2006.
- Scheu, S. : Mucus excretion and carbon turnover of endogeic earthworms. *Biol. Fertil. Soils*, **12**, 217-220, 1991.
- Sims, R. W. and E. G. Easton : A numerical revision of the earthworm genus *Pheretima* auct. (Megascolecidae : Oligochaeta) with the recognition of new genera and an appendix on the earthworms collected by the Royal Society North Borneo Expedition. *Biol. J. Linn. Soc.*, **4**, 169-268, 1972.
- Toyota, A. *et al.* : Effects of vegetation switch and subsequent change in soil invertebrate composition on soil carbon accumulation patterns, revealed by radiocarbon concentrations. *Radiocarbon*, **52**, 1471-1486.
- Trigo, D. *et al.* : Mutualism between earthworms and soil microflora. *Pedobiologia*, **43**, 866-873, 1999.
- Uchida, T. *et al.* : Analysis of the feeding ecology of earthworms (Megascolecidae) in Japanese forests using gut content fractionation and $\delta^{15}\text{N}$ and $\delta^{13}\text{C}$ stable isotope natural abundances. *Appl. Soil Ecol.*, **27**, 153-163, 2004.
- Watanabe, H. : On the amount of cast production by the Megascolecid earthworm *Pheretima hupeiensis*. *Pedobiologia*, **15**, 20-28, 1975.

≡ 第6章

- 柿島 真・徳増征二編 : 菌類の生物学—分類・系統・生態・環境・利用—, 共立出版, 2014.
- 金子信博 : 土壤生態学入門—土壤動物の多様性と機能—, 東海大学出版会, 2007.
- 金子信博 : 土壤動物は土壤微生物の機能をどのように引き出すか? 土と微生物, **69**, 87-92, 2015.
- 津田 格 : キノコに棲息する線虫. 森林微生物生態学 (二井一禎・肘井直樹編著), pp.91-101, 朝倉書店, 2000.
- 中森泰三 : 菌食性トビムシの餌選択と菌類の防御. 日本菌学会会報, **50**, 71-78, 2009.
- Bleuler-Martínez, S. *et al.* : lectin-mediated resistance of higher fungi against predators and parasites. *Mol. Ecol.*, **20**(14), 3056-3070, 2011.
- Bonkowski, M. *et al.* : Food preferences of earthworms for soil fungi. *Pedobiologia*, **44**(6), 666-676, 2000.
- Boos, S. *et al.* : Maternal care provides antifungal protection to eggs in the European earwig. *Behav. Ecol.*, **25**(4), 754-761, 2014.
- Brown, G. : How do earthworms affect microfloral and faunal community diversity? *Plant Soil*, **170**, 209-231, 1995.
- Crowther, T. W. *et al.* : Outcomes of fungal interactions are determined by soil invertebrate grazers. *Ecol. Lett.*, **14**, 1134-1142, 2011.
- Crowther, T. W. *et al.* : Functional and ecological consequences of saprotrophic fungus-grazer interactions. *ISME J.*, **6**, 1992-2001, 2012.
- Davidson, S. K. and D. A. Stahl : Selective recruitment of bacteria during embryogenesis of an earthworm. *ISME J.*, **2**, 510-518, 2008.

- Degawa, Y. : Secondary spore formation in *Orchesellaria mauguioi* (Asellariales, Trichomycetes) and its taxonomic and ecological implications. *Mycoscience*, **50**, 247-252, 2009.
- Dromph, K. M. : Dispersal of entomopathogenic fungi by collembolans. *Soil Biol. Biochem.*, **33**, 2047-2051, 2001.
- Halbwachs, H. and C. Bässler : Gone with the wind—A review on basidiospores of lamellate agarics—. *Mycosphere*, **6**(1), 78-112, 2015.
- Haubert, D. *et al.* : Effects of fungal food quality and starvation on the fatty acid composition of *Protaphorura fimata* (Collembola). *Comp. Biochem. Physiol. B*, **138**, 41-52, 2004.
- Lilleskov, E. A. and T. D. Bruns : Spore dispersal of a resupinate ectomycorrhizal fungus, *Tomentella sublilacina*, via soil food webs. *Mycologia*, **97**, 762-769, 2005.
- Maaß, S. : Functional role of microarthropods in soil aggregation. *Pedobiologia*, **58**, 59-63, 2015.
- Maraun, M. *et al.* : Adding to 'the enigma of soil animal diversity' : Fungal feeders and saprotrophic soil invertebrates prefer similar food substrates. *Eur. J. Soil Biol.*, **39**, 85-95, 2003.
- Morris, E. E. and A. E. Hajek : Eat or be eaten : Fungus and nematode switch off as predator and prey. *Fungal Ecol.*, **11**, 114-121, 2014.
- Rohlf, M. : Fungal secondary metabolite dynamics in fungus-grazer interactions : Novel insights and unanswered questions. *Front. Microbiol.*, **5**, 788, 2015.
- Rohlf, M. and A. C. L. Churchill : Fungal secondary metabolites as modulators of interactions with insects and other arthropods. *Fungal Genet. Biol.*, **48**, 23-34, 2011.
- Saikawa, M. *et al.* : A light and electron microscope study on *Arthrobotrys entomopaga* capturing springtails. *Bull. Tokyo Gakugei Univ., Div. Nat. Sci.*, **62**, 55-62, 2010.
- Scheu, S. and M. Folger : Single and mixed diets in Collembola : Effects on reproduction and stable isotope fractionation. *Funct. Ecol.*, **18**, 94-102, 2004.
- Spiteller, P. : Chemical defence strategies of higher fungi. *Chemistry*, **14**, 9100-9110, 2008.
- Tanganelli, V. *et al.* : Molecular phylogenetic analysis of a novel strain from Neelipleona enriches Wolbachia diversity in soil biota. *Pedobiologia*, **57**, 15-20, 2014.
- Thakuria, D. *et al.* : Gut wall bacteria of earthworms : A natural selection process. *ISME J.*, **4**, 357-366, 2010.
- Vegter, J. J. : Food and habitat specialization in coexisting springtails (Collembola, Entomobryidae). *Pedobiologia*, **25**, 253-262, 1983.
- Visser, S. *et al.* : Fungi associated with *Onychiurus subtenuis* (Collembola) in an aspen woodland. *Can. J. Bot.*, **65**, 635-642, 1987.

≡ 第7章

- 金子信博 : 土壤生態学入門—土壤動物の多様性と機能—, 東海大学出版会, 2007.
- 金田 哲 : 土壤動物の操作実験. 土壤動物学への招待 (日本土壤動物学会編), pp.102-104, 東海大学出版会, 2007.
- Anderson, J. M. *et al.* : Nitrogen and cation mobilization by soil fauna feeding on leaf litter and soil or-

- ganic matter from deciduous woodlands. *Soil Biol. Biochem.*, **15**, 463-467, 1983.
- Barois, I. *et al.* : Andosol-forming process linked with soil fauna under the perennial grass *Mulhembergia macroura*. *Geoderma*, **86**, 241-260, 1998.
- Berg, M. *et al.* : Community food web, decomposition and nitrogen mineralisation in a stratified Scots pine forest soil. *Oikos*, **94**, 130-142, 2001.
- Bokhorst, S. and D. A. Wardle. : Microclimate within litter bags of different mesh size : Implications for the 'arthropod effect' on litter decomposition. *Soil Biol. Biochem.*, **58**, 147-152, 2013.
- Bradford, M. A. *et al.* : Microbiota, fauna, and mesh size interactions in litter decomposition. *Oikos*, **99**, 317-323, 2002a.
- Bradford, M. A. *et al.* : Impacts of soil faunal community composition on model grassland ecosystems. *Science*, **298**, 615-618, 2002b.
- Faber, J. H. and H. A. Verhoef : Functional differences between closely-related soil Arthropods with respect to decomposition processes in the presence or absence of Pine tree roots. *Soil Biol. Biochem.*, **23**, 15-23, 1991.
- Frouz, J. *et al.* : Do soil fauna really hasten litter decomposition? A meta-analysis of enclosure studies. *Eur. J. Soil Biol.*, **68**, 18-24, 2015.
- Handa, I. T. *et al.* : Consequences of biodiversity loss for litter decomposition across biomes. *Nature*, **509**, 218-221, 2014.
- Hasegawa, M. *et al.* : Community structure of oribatid mites in relation to elevation and geology on the slope of Mount Kinabalu, Sabah, Malaysia. *Eur. J. Soil Biol.*, **42**(Supplement), 191-196, 2006.
- Hector, A. *et al.* : Overyielding in grassland communities : Testing the sampling effect hypothesis with replicated biodiversity experiments. *Ecol. Lett.*, **5**, 502-511, 2002.
- Heemsbergen, D. A. *et al.* : Biodiversity effects on soil processes explained by Interspecific Functional dissimilarity. *Science*, **306**, 1019-1020, 2004.
- Ito, M. *et al.* : Patterns of soil macrofauna in relation to elevation and geology on the slope of Mount Kinabalu, Sabah, Malaysia. *Sabah Parks Nat. J.*, **5**, 153-163, 2002.
- Kampichler, C. and A. Bruckner. : The role of microarthropods in terrestrial decomposition : A meta-analysis of 40 years of litterbag studies. *Biol. Rev.*, **84**, 375-389, 2009.
- Kitazawa, Y. ed. : *Ecosystem Analysis of the Subalpine Coniferous Forest of the Shigayama IBP area*. Central Japan. University of Tokyo Press, 1977.
- Lavelle, P. : Faunal activities and soil processes : Adaptive strategies that determine ecosystem function. *Adv. Ecol. Res.*, **27**, 91-132, 1997.
- Lavelle, P. and A. Martin : Small-scale and large-scale effects of endogeic earthworms on soil organic matter dynamics in soil and the humid tropics. *Soil Biol. Biochem.*, **24**, 1491-1498, 1992.
- Lavelle, P. *et al.* : Mutualism and biodiversity in soils. *Plant Soil*, **170**, 20-33, 1995.
- Lawton, J. H. : The ecotron facility at Silwood Park : The value of "Big Bottle" experiments. *Ecology*, **77**, 665-669, 1996.
- Liiri, M. *et al.* : Relationship between soil microarthropod species diversity and plant growth does not

- change when the system is disturbed. *Oikos*, **96**, 137-149, 2002.
- Petersen, H. and M. Luxton. : A comparative analysis of soil fauna populations and their role in decomposition processes. *Oikos*, **39**, 288-388, 1982.
- Schaefer, M. and J. Schauermann. : The soil fauna of beech forests : Comparison between a mull and a moder soil. *Pedobiologia*, **34**, 299-314, 1990.
- Setälä, H. and V. Huhta : Evaluation of the soil fauna impact on decomposition in a simulated coniferous forest soil. *Biol. Fertil. Soils*, **10**, 163-169, 1990.
- Tilman, D. *et al.* : Biodiversity and ecosystem properties. *Science*, **278**, 1866-1867, 1997.
- Toyota, A. *et al.* : Soil ecosystem engineering by the train millipede *Parafontaria laminata* in a Japanese larch forest. *Soil Biol. Biochem.*, **38**, 1840-1850, 2006.
- Verhoef, H. and L. Brussaard : Decomposition and nitrogen mineralization in natural and agro-ecosystems : The contribution of soil animals. *Biogeochemistry*, **11**, 175-211, 1990.
- Visser, S. : *The Role of Soil Invertebrates in Determining the Composition of Soil Microbial Communities*, Blackwell Scientific Publications, 1985.
- Wall, D.H. *et al.* : Global decomposition experiment shows soil animal impacts on decomposition are climate-dependent. *Glob. Change Biol.*, **14**, 2661-2677, 2008.
- Witkamp, M. and D.A. Crossley Jr. : The role of arthropods and microflora in breakdown of white oak litter. *Pedobiologia*, **6**, 293-303, 1966.
- Yamashita, T. and H. Takeda : Decomposition and nutrient dynamics of leaf litter in litter bags of two mesh sizes set in two dipterocarp forest sites in Peninsular Malaysia. *Pedobiologia*, **42**, 11-21, 1998.
- Zimmer, M. *et al.* : Do woodlice and earthworms interact synergistically in leaf litter decomposition? *Funct. Ecol.*, **19**, 7-16, 2005.

≡ 第8章

- 可知直毅 : 植物と植食者との相互作用系・植物側の論理. 〈シリーズ地球共生系5〉動物と植物の利用し合う関係 (鷲谷いづみ・大串隆之編), 平凡社, pp.254-263, 1993.
- Brown, V.K. and A.C. Gange : Insect herbivory below ground. *Adv. in Ecol. Res.*, **20**, 1-58, 1990.
- Brown, V.K. and A.C. Gange : Secondary plant succession : How is it modified by insect herbivory? *Vegetatio*, **101**, 3-13, 1992.
- Cahill Jr., J.F. and G.G. McNickle : The behavioral ecology of nutrient foraging by plants. *Annu. Rev. Ecol. Evol. Syst.*, **42**, 289-311, 2011.
- van Dam, N.M. : Belowground herbivory and plant defenses. *Annu. Rev. Ecol., Evol. Syst.*, **40**, 373-391, 2009.
- De Deyn, G.B. *et al.* : Soil invertebrate fauna enhances grassland succession and diversity. *Nature*, **422**, 711-713, 2003.
- Dolan, L. : Body building on land—morphological evolution of land plants. *Curr. Opin. Plant Biol.*, **12**, 4-8, 2009.
- Erb, M. and J. Lu : Soil abiotic factors influence interactions between belowground herbivores and plant

- roots. *J. Expt. Bot.*, **64**, 1295-1303, 2013.
- French, N. : Assessment of leatherjacket damage to grassland and economic aspects of control. Proceedings of the 5th British Insecticide and Fungicide Conference. Farnham, UK : British Crop Protection Council, pp.511-521, 1969.
- Gange, A.C. and V.K. Brown : Effects of root herbivory by an insect on a foliar-feeding species, mediated through changes in the host plant. *Oecologia*, **81**, 38-42, 1989.
- Jackson, R.B. and M.M. Caldwell : Geostatistical patterns of soil heterogeneity around individual perennial plants. *J. Ecol.*, **81**, 683-692, 1993.
- Jackson, R.B. *et al.* : A global analysis of root distributions for terrestrial biomes. *Oecologia*, **108**, 389-411, 1996.
- McKey, D. : Adaptive patterns in alkaloid physiology. *Am. Nat.*, **108**, 305-320, 1974.
- Meldau, S. *et al.* : Defence on demand : mechanisms behind optimal defence patterns. *Ann. Bot.*, **110**, 1503-1514, 2012.
- Ohgushi, T. : Indirect interaction webs : Herbivore-induced effects through trait change in plants. *Annu. Rev. Ecol. Evol. Syst.*, **36**, 81-105, 2005.
- Pellissier, L. *et al.* : The simultaneous inducibility of phytochemicals related to plant direct and indirect defences against herbivores is stronger at low elevation. *J. Ecol.*, **104**, 1116-1125, 2016.
- Robert, C.A.M. *et al.* : A specialist root herbivore exploits defensive metabolites to locate nutritious tissues. *Ecol. Lett.*, **15**, 55-64, 2012.
- Soler, R. *et al.* : Root herbivore effects on above-ground herbivore, parasitoid and hyperparasitoid performance via changes in plant quality. *J. Anim. Ecol.*, **74**, 1121-1130, 2005.
- Soler, R. *et al.* : Impact of foliar herbivory on the development of a root-feeding insect and its parasitoid. *Oecologia*, **152**, 257-264, 2007.
- Staudacher, K. *et al.* : Plant diversity affects behavior of generalist root herbivores, reduces crop damage, and enhances crop yield. *Ecol. Appl.*, **23**, 1135-1145, 2013.
- Stein, C. *et al.* : Impact of invertebrate herbivory in grasslands depends on plant species diversity. *Ecology*, **91**, 1639-1650, 2010.
- Strong, D.R. *et al.* : High mortality, fluctuation in numbers, and heavy subterranean insect herbivory in bush lupine, *Lupinus arboreus*. *Oecologia*, **104**, 85-92, 1995.
- Tsunoda, T. *et al.* : Availability and temporal heterogeneity of water supply affect the vertical distribution and mortality of a belowground herbivore and consequently plant growth. *PLoS ONE*, **9**, e100437, 2014a.
- Tsunoda, T. *et al.* : Interactive effects of soil nutrient heterogeneity and belowground herbivory on the growth of plants with different root foraging traits. *Plant Soil*, **384**, 327-334, 2014b.
- Tsunoda, T. *et al.* : Root and shoot glucosinolate allocation patterns follow optimal defence allocation theory. *J. Ecol.*, **105**, 1256-1266, 2017.
- Tsunoda, T. and N.M. van Dam : Root chemical traits and their roles in belowground biotic interactions. *Pedobiologia*, **65**, 58-67, 2017. doi : 10.1016/j.pedobi.2017.05.007

- Villani, M.G. and R.J. Wright : Environmental influences on soil macroarthropod behaviour in agricultural systems. *Annu. Rev. Entomol.*, **35**, 249-269, 1990.
- Welte, C.U. *et al.* : SaxA- mediated isothiocyanate metabolism in phytopathogenic pectobacteria. *Appl. Environ. Microbiol.*, **82**, 2372-2379, 2016.
- Zvereva, E.L. and M.V. Kozlov : Sources of variation in plant responses to belowground insect herbivory : A meta-analysis. *Oecologia*, **169**, 441-452, 2012.

≡ 第9章

- Ayres, E. *et al.* : The influence of below-ground herbivory and defoliation of a legume on nitrogen transfer to neighbouring plants. *Funct. Ecol.*, **21**, 256-263, 2007.
- Blanchart, E. *et al.* : Effects of earthworms on soil structure and physical properties. In : *Earthworm Management in Tropical Agroecosystems* (Lavelle, P. *et al.* eds.), CABI, pp.149-172, 1999.
- Cebrian, J. : Patterns in the fate of production in plant communities. *Am. Nat.*, **154**, 449-468, 1999.
- Connell, J.H. : Diversity in Tropical Rain Forests and Coral Reefs. *Science*, **199**, 1302-1310, 1978.
- Cornwell, W.K. *et al.* : Plant species traits are the predominant control on litter decomposition rates within biomes worldwide. *Ecol. Lett.*, **11**, 1065-1071, 2008.
- De Deyn, G.B. *et al.* : Soil invertebrate fauna enhances grassland succession and diversity. *Nature*, **422**, 711-713, 2003.
- DeLuca, T.H. *et al.* : Nitrogen mineralization and phenol accumulation along a fire chronosequence in northern Sweden. *Oecologia*, **133**, 206-214, 2002.
- Dunn, R.M. *et al.* : Influence of microbial activity on plant-microbial competition for organic and inorganic nitrogen. *Plant Soil*, **289**, 321-334, 2006.
- Gholz, H.L. *et al.* : Long-term dynamics of pine and hardwood litter in contrasting environments : Toward a global model of decomposition. *Glob. Change Biol.* **6**, 751-765, 2000.
- Grayston, S.J. *et al.* : Selective influence of plant species on microbial diversity in the rhizosphere. *Soil Biol. Biochem.*, **30**, 369-378, 1998.
- Grime, J.P. *et al.* : Evidence of a Causal Connection between Anti-Herbivore Defence and the Decomposition Rate of Leaves. *Oikos*, **77**, 489, 1996.
- van Groenigen, J.W. *et al.* : Earthworms increase plant production : A meta-analysis. *Sci. Rep.*, **4**, 6365, 2014.
- van der Heijden, M.G.A. *et al.* : The unseen majority : Soil microbes as drivers of plant diversity and productivity in terrestrial ecosystems. *Ecol. Lett.*, **11**, 296-310, 2008.
- Hobbie, S.E. : Plant species effects on nutrient cycling : Revisiting litter feedbacks. *Trends Ecol. Evol.*, **30**, 357-363, 2015.
- Hyodo, F. *et al.* : Dependence of diverse consumers on detritus in a tropical rain forest food web as revealed by radiocarbon analysis. *Funct. Ecol.*, **29**, 423-429, 2015.
- Inagaki, Y. *et al.* : Effects of forest type and stand age on litterfall quality and soil N dynamics in Shikoku district, southern Japan. *For. Ecol. Manag.*, **202**, 107-117, 2004.

- Ishida, T. A. *et al.* : Host effects on ectomycorrhizal fungal communities : Insight from eight host species in mixed conifer-broadleaf forests. *New Phytol.*, **174**, 430-440, 2007.
- Janzen, D. H. : Herbivores and the number of tree species in tropical forests. *Am. Nat.*, **104**, 501-528, 1970.
- Kardol, P. and D. A. Wardle : How understanding aboveground-belowground linkages can assist restoration ecology. *Trends Ecol. Evol.*, **25**, 670-679, 2010.
- Kattge, J. *et al.* : TRY — A global database of plant traits. *Glob. Change Biol.*, **17**, 2905-2935, 2011.
- Kronzucker, H. J. *et al.* : Conifer root discrimination against soil nitrate and the ecology of forest succession. *Nature*, **385**, 59-61, 1997.
- Kurokawa, H. and T. Nakashizuka : Leaf herbivory and decomposability in a Malaysian tropical rain forest. *Ecology*, **89**, 2645-2656, 2008.
- Laakso, J. and H. Setälä : Population- and ecosystem-level effects of predation on microbial-feeding nematodes. *Oecologia*, **120**, 279-286, 1999.
- Mangan, S. A. *et al.* : Negative plant-soil feedback predicts tree-species relative abundance in a tropical forest. *Nature*, **466**, 752-755, 2010.
- Metcalfe, D. B. *et al.* : Herbivory makes major contributions to ecosystem carbon and nutrient cycling in tropical forests. *Ecol. Lett.*, **17**, 324-332, 2014.
- Miyashita, T. *et al.* : Experimental evidence that aboveground predators are sustained by underground detritivores. *Oikos*, **103**, 31-36, 2003.
- Moore, J. C. *et al.* : Top-down is bottom-up : Does predation in the rhizosphere regulate aboveground dynamics? *Ecology*, **84**, 846-857, 2003.
- Northup, R. R. *et al.* : Polyphenol control of nitrogen release from pine litter. *Nature*, **377**, 227-229, 1995.
- Packer, A. and K. Clay : Soil pathogens and spatial patterns of seedling mortality in a temperate tree. *Nature*, **404**, 278-281, 2000.
- Priha, O. *et al.* : Comparing microbial biomass, denitrification enzyme activity, and numbers of nitrifiers in the rhizospheres of *Pinus sylvestris*, *Picea abies* and *Betula pendula* seedlings by microscale methods. *Biol. Fertil. Soils*, **30**, 14-19, 1999.
- Schadt, C. W. *et al.* : Seasonal dynamics of previously unknown fungal lineages in tundra soils. *Science*, **301**, 1359-1361, 2003.
- Tateno, R. and H. Takeda : Nitrogen uptake and nitrogen use efficiency above and below ground along a topographic gradient of soil nitrogen availability. *Oecologia*, **163**, 793-804, 2010.
- Ushio, M. *et al.* : Variations in the soil microbial community composition of a tropical montane forest ecosystem : Does tree species matter? *Soil Biol. Biochem.*, **40**, 2699-2702, 2008.
- de Vries, F. T. *et al.* : Abiotic drivers and plant traits explain landscape-scale patterns in soil microbial communities. *Ecol. Lett.*, **15**, 1230-1239, 2012.
- Wardle, D. A. : *Communities and Ecosystems : Linking the Aboveground and Belowground Components*. Princeton University Press, 2002.
- Wardle, D. A. *et al.* : The influence of island area on ecosystem properties. *Science*, **277**, 1296-1299, 1997.

Wardle, D. A. *et al.* : Introduced browsing mammals in New Zealand natural forests : Aboveground and belowground consequences. *Ecol. Monogr.*, **71**, 587-614, 2001.

≡ 第10章

青木淳一：土壤動物を指標とした自然の豊かさの評価。開発地域などにおける自然環境への影響予測と評価に関わる基礎調査—調査の結果と調査法マニュアル—，千葉県，pp.197-222, 1995.

關 義和・小金澤正昭：栃木県奥日光地域の防鹿柵外におけるミミズ類の増加要因—シカによる植生改変の影響—，日本森林学会誌，**92**，241-246, 2010.

高崎洋子他：ヒノキ人工林において間伐施行が土壤動物の群集構成と個体数密度に与える影響—三重県渡会郡大紀町における事例—，日本森林学会誌，**92**，167-170, 2010.

永野昌博・後藤砂紀：土壤動物を指標とした植生管理と生物多様性の関係—大分大学構内における土壤動物を用いた自然の豊かさ評価—，大分大学教育福祉科学部研究紀要，**34**，73-84, 2012.

菱 拓雄他：福岡県御手洗水流域ヒノキ不成績人工林における下層植生の違いがササラダニの種多様性に与える影響。 *Edaphologia*, **84**，11-20, 2009.

古澤仁美他：ニホンジカの採食によって林床植生の劣化した針広混交林でのリターおよび土壤の移動，日本森林学会誌，**85**，318-325, 2003.

Covinton, W. W. : Changes in forest floor organic matter and nutrient content following clear cutting in northern hardwoods. *Ecology*, **62**, 41-48, 1981.

Evans, R. : Soil erosion in the UK initiated by grazing animals—a need for a national survey. *Appl. Geogr.*, **17**, 127-141, 1997.

Fukushima, K. *et al.* : Soil nitrogen dynamics during stand development after clear-cutting of Japanese cedar (*Cryptomeria japonica*) plantations. *J. For. Res.*, **16**(5), 394-404, 2011.

Hasegawa, M. *et al.* : Collembolan community in broad-leaved forests and in conifer stands of *Cryptomeria japonica* in Central Japan. *Pesquisa Agropecuária Brasileira*, **44**, 881-890, 2009.

Hasegawa, M. *et al.* : Community structure of Mesostigmata, Prostigmata and Oribatida in broad-leaved regeneration forests and conifer plantations of various ages. *Exp. Appl. Acarol.*, **59**, 391-408, 2013.

Hasegawa, M. *et al.* : Effects of roads on collembolan community structure in subtropical evergreen forests on Okinawa Island, southwestern Japan. *Pedobiologia*, **58**, 13-21, 2015.

Makino, S. *et al.* : The monitoring of insects to maintain biodiversity in Ogawa forest reserve. *Environ. Monit. Assess.*, **120**, 477-485, 2006.

Malmström, A. : The importance of measuring fire severity—Evidence from microarthropod studies. *For. Ecol. Manag.*, **15**, 62-70, 2010.

Malmström, A. : Life-history traits predict recovery patterns in Collembola species after fire : A 10 years study. *Appl. Soil Ecol.*, **56**, 35-42, 2012.

Mori, A. S. *et al.* : Biotic homogenization and differentiation of soil faunal communities in the production forest landscape : Taxonomic and functional perspectives. *Oecologia*, **177**, 533-544, 2015.

Mori, K. *et al.* : Tree influence on soil biological activity : What can be inferred from the optical examination of humus profiles? *Eur. J. Soil Biol.*, **45**, 290-300, 2009.

- Ohta, T. *et al.* : Calcium concentration in leaf litter alters the community composition of soil invertebrates in warm-temperate forests. *Pedobiologia*, **57**, 257–262, 2014.
- Parisi, V. *et al.* : Microarthropod communities as a tool to assess soil quality and biodiversity : A new approach in Italy. *Agric. Ecosyst. Environ.*, **105**, 323–333, 2005.
- Peck, R.W. and C.G. Niwa : Longer-term effects of selective thinning on microarthropod communities in a late-successional coniferous forest. *Environ. Entomol.*, **34**, 646–655, 2005.
- Pey, B. *et al.* : Current use of and future needs for soil invertebrate functional traits in community ecology. *Basic Appl. Ecol.*, **15**, 194–206, 2014.
- Ponge, J.F. : Biocenoses of Collembola in atlantic temperate grass-woodland ecosystems. *Pedobiologia*, **37**(4), 223–24, 1993.
- Saitoh, S. *et al.* : Impacts of deer overabundance on soil macro-invertebrates in a cool temperate forest in Japan : A long-term study. *森林研究*, **77**, 63–75, 2008.
- Saitoh, S. *et al.* : Impact of deer overabundance on oribatid mite communities in a cool temperate forest ecosystem. *Edaphologia*, **87**, 21–31, 2010.
- Sakai, H. *et al.* : Changes in soil organic carbon and nitrogen in an area of Andisol following afforestation with Japanese cedar and Hinoki cypress. *Soil Sci. Plant Nutr.*, **56**, 332–343, 2010.
- Tokuchi, N. and K. Fukushima : Long-term influence of stream water chemistry in Japanese cedar plantation after clear-cutting using the forest rotation in central Japan. *For. Ecol. Manag.*, **257**(8), 1768–1775, 2009.
- Tsukamoto, J. and J. Sabang : Soil macro-fauna in an Acacia mangium plantation in comparison to that in a primary mixed dipterocarp forest in the lowlands of Sarawak, Malaysia. *Pedobiologia*, **49**, 69–80, 2005.
- Vandewalle, M. *et al.* : Functional traits as indicators of biodiversity response to land use changes across ecosystems and organisms. *Biodivers. Conserv.*, **19**, 2921–2947, 2010.
- Watanabe, H. : Effect of stand change on soil macro animals. *J. Jpn. For. Soc.*, **55**, 291–295, 1973.
- Zimmer, M. : Nutrition in terrestrial isopods (Isopoda : Oniscidea) : An evolutionary-ecological approach. *Biol. Rev.*, **77**, 455–493, 2002.

≡ 第11章

- 青木淳一 : 土壤動物を指標とした自然の豊かさの評価。開発地域などにおける自然環境への影響予測と評価に関わる基礎調査—調査の結果と調査法マニュアル—, 千葉県, pp.197–222, 1995.
- 金子信博 : 土のなかの生物多様性を農業に活かす。科学, **85**, 1091–1095, 2015.
- 金子信博他 : 一次生産の持続可能性のための土壌管理—熱帯プランテーションにおける保全管理の効果—。環境科学会誌, **30**, 82–87, 2017.
- 金子信博他 : 有機リング圃場の土壌動物多様性—慣行リング圃場および森林との比較—。Edaphologia, **102**, 2018 印刷中。
- Arai, M. *et al.* : Changes in soil aggregate carbon dynamics under no-tillage with respect to earthworm biomass revealed by radiocarbon analysis. *Soil and Tillage Research*, **126**, 42–49, 2013.

- Arai, M. *et al.* : Changes in water stable aggregate and soil carbon accumulation in a no-tillage with weed mulch management site after conversion from conventional management practices. *Geoderma*, **221-222C**, 50-60, 2014.
- Arai, M. *et al.* : Two-year responses of earthworm abundance, soil aggregates, and soil carbon to no-tillage and fertilization. *Geoderma*, 2018. doi : 10.1016/j.geoderma.2017.10.021
- Barrios, E. : Soil biota, ecosystem services and land productivity. *Ecol. Econ.*, **64** : 269-285, 2007.
- Belda, I. *et al.* : From vineyard soil to wine fermentation : Microbiome approximations to explain the "terroir" concept. *Front. Microbiol.*, **8**, 821, 2017.
- Bongers, T. : The maturity index : An ecological measure of environmental disturbance based on nematode species composition. *Oecologia*, **83**, 14-19, 1990.
- Briones, M. J. I. and O. Schmidt : Conventional tillage decreases the abundance and biomass of earthworms and alters their community structure in a global meta-analysis. *Glob. Change Biol.*, **23**, 4396-4419, 2017. doi : 10.1111/gcb.13744
- Cong, R. G. *et al.* : Managing soil natural capital : An effective strategy for mitigating future agricultural risks? *Agric. Syst.*, **129**, 30-39, 2014.
- Ferris H. *et al.* : A framework for soil food web diagnostics : Extension of the nematode faunal analysis concept. *Appl. Soil Ecol.*, **18**, 13-29, 2001.
- van Groenigen, J. W. *et al.* : Earthworms increase plant production : A meta-analysis. *Sci. Rep.*, **4**, 6365, 2014.
- Haddad, N. M. *et al.* : Plant diversity and the stability of foodwebs. *Ecol. Lett.*, **14**, 42-46, 2011.
- Kaneko, N. : Biodiversity agriculture supports human populations. In : *Sustainable Living with Environmental Risks* (Kaneko, N. *et al.* eds.), Springer Tokyo, pp.19-25, 2014.
- Kibblewhite, M. G. *et al.* : Soil health in agricultural systems. *Philos. Trans. Royal Soc. B*, **363**, 685-701, 2008.
- Lange, M. *et al.* : Plant diversity increases soil microbial activity and soil carbon storage. *Nat. Commun.*, **6**, 6707-6707, 2015.
- Laumonier, Y. *et al.* : Eco-floristic sectors and deforestation threats in Sumatra : Identifying new conservation area network priorities for ecosystem-based land use planning. *Biodivers. Conserv.*, **19**, 1153-1174, 2010.
- Ludwig, M. *et al.* : Measuring soil sustainability via soil resilience. *Sci. Total Environ.*, 2017. doi : 10.1016/j.scitotenv.2017.10.043
- McIntyre, B. D. *et al.* eds. : International assessment of agricultural knowledge, science and technology for development (IAASTD) : synthesis report with executive summary : A synthesis of the global and sub-global IAASTD reports, Island Press, 2009.
- Menta *et al.* : Soil Biological Quality index (QBS-ar) : 15 years of application at global scale. *Ecol. Indic.*, **85**, 773-780, 2018.
- Montanarella, L. *et al.* : World's soils are under threat. *Soil*, **2**, 79-82, 2016.
- Montgomery, D. R. : Soil erosion and agricultural sustainability. *PNAS*, **104**, 13268-13272, 2004.

- Mulder, C. *et al.* : How allometric scaling relates to soil abiotics. *Oikos*, **120**, 529-536, 2011.
- Niwa, S. *et al.* : Effects of fine-scale simulation of deer browsing on soil micro-foodweb structure and N mineralization rate in a temperate forest. *Soil Biol. Biochem.*, **40**, 699-708, 2008.
- Nuria, R. *et al.* : IBQS : A synthetic index of soil quality based on soil macro-invertebrate communities. *Soil Biol. Biochem.*, **43**, 2032-2045, 2011.
- Parisi, V. *et al.* : Microarthropod communities as a tool to assess soil quality and biodiversity : A new approach in Italy. *Agric. Ecosyst. Environ.*, **105**, 323-333, 2005.
- Petersen, H. and M. Luxton : A comparative analysis of soil fauna populations and role in decomposition process. *Oikos*, **39**, 287-388, 1982.
- Pulleman, M. *et al.* : Soil biodiversity, biological indicators and soil ecosystem services-an overview of European approaches. *Curr. Opin. Environ. Sustain.*, **4**, 529-538, 2012.
- Rutgers M. *et al.* : Biological measurements in a nationwide soil monitoring network. *Eur. J. Soil Sci.*, **60**, 820-832, 2009.
- Sackett, T.E. *et al.* : Linking soil food web structure to above- and belowground ecosystem processes : A meta-analysis. *Oikos*, **119**, 1984-1992, 2010.
- Stirling, G.R. *et al.* : The impact of an improved sugarcane farming system on chemical, biochemical and biological properties associated with soil health. *Appl. Soil Ecol.*, **46**, 470-477, 2010.
- Strudley, M.W. *et al.* : Tillage effects on soil hydraulic properties in space and time : State of the science. *Soil and Tillage Research*, **99**, 4-48, 2008.
- Tebrügge, F. *et al.* : Reducing tillage intensity - A review of results from a long-term study in Germany. *Soil and Tillage Research*, **53**, 15-28, 1999.
- Tilman, D. *et al.* : Biodiversity and ecosystem functioning. *Ann. Rev. Ecol. Evol. Syst.*, **45**, 471-493, 2014.
- Tsiafouli, M.A. *et al.* : Intensive agriculture reduces soil biodiversity across Europe. *Glob. Change Biol.*, **21**, 973-985, 2015.
- Velasquez, E. *et al.* : GISQ, a multifunctional indicator of soil quality. *Soil Biol. Biochem.*, **39**, 3066-3080, 2007.
- Wagg, C. *et al.* : Soil biodiversity and soil community composition determine ecosystem multifunctionality. *PNAS*, **111**, 5266-5270, 2014.
- Wall, D.H. *et al.* : Soil biodiversity and human health. *Nature*, **529**, 69-76, 2015.
- Wardle, D.A. : Impacts of disturbance on detritus food webs in agro-ecosystems of contrasting tillage and weed management practices. *Adv. Ecol. Res.*, **26**, 105-185, 1995.
- West, P.C. *et al.* : Trading carbon for food : Global comparison of carbon stocks vs. crop yields on agricultural land. *PNAS*, **107**, 19645-19648, 2010.

≡ 第12章

金子信博・中森泰三：森林土壌と土壌動物の放射線影響。森林環境2014（竹内敬二・森本幸裕編著），森林文化協会，pp.166-173，2014。

Berg, M.P. *et al.* : Adapt or disperse : understanding species persistence in a changing world. *Glob.*

- Change Biol.*, **16**, 587-598, 2010.
- Blankinship, J.C. *et al.* : A meta-analysis of responses of soil biota to global change. *Oecologia*, **165**, 553-565, 2011.
- Bobbink, R. *et al.* : Global assessment of nitrogen deposition effects on terrestrial plant diversity. *Ecol. Appl.*, **20**, 30-59, 2010.
- Calmon, P. *et al.* : Transfer parameter values in temperate forest ecosystems : A review. *J. Environ. Radioact.*, **100**, 757-766, 2009.
- Cardinale, B.J. *et al.* : Biodiversity loss and its impact on humanity. *Nature*, **486**, 59-67, 2012.
- Costanza, R. *et al.* : The value of the world's ecosystem services and natural capital. *Nature*, **387**, 253-260, 1997.
- Doran, J.W. and M.R. Zeiss : Soil health and sustainability : Managing the biotic component of soil quality. *Appl. Soil Ecol.*, **15**, 3-11, 2000.
- Fierer, N. *et al.* : Comparative metagenomic, phylogenetic and physiological analyses of soil microbial communities across nitrogen gradients. *ISME J.*, **6**, 1007-1017, 2012.
- Garnier-Laplace, J. *et al.* : Fukushima wildlife dose reconstruction signals ecological consequences. *Environ. Sci. Technol.*, **45**, 5077-5078, 2011.
- Gilliam, F.S. : Response of the herbaceous layer of forest ecosystems to excess nitrogen deposition. *J. Ecol.*, **94**, 1176-1191, 2006.
- Hasegawa, M. *et al.* : Changes in radiocesium concentrations in epigeic earthworms in relation to the organic layer 2.5 years after the 2011 Fukushima Dai-ichi Nuclear Power Plant accident. *J. Environ. Radioact.*, **145**, 95-101, 2015.
- Hooper, D.U. *et al.* : Effects of biodiversity on ecosystem functioning : A consensus of current knowledge. *Ecol. Monogr.*, **75**, 3-35, 2005.
- Imamura, N. *et al.* : Temporal changes in the radiocesium distribution in forests over the five years after the Fukushima Daiichi Nuclear Power Plant accident. *Sci. Rep.*, **7**, 8179, 2017.
- Kamitani, T. and N. Kaneko : Species-specific heavy metal accumulation patterns of earthworms on a floodplain in Japan. *Ecotoxicol. Environ. Saf.*, **66**, 82-91, 2007.
- Keesstra, S.D. *et al.* : The significance of soils and soil science towards realization of the United Nations Sustainable Development Goals. *Soil*, **2**, 111-128, 2016.
- Kibblewhite, M.G. *et al.* : Soil health in agricultural systems. *Philos. Trans. Royal Soc. B*, **363**, 685-701, 2008.
- Letourneau, D.K. and S.G. Bothwell : Comparison of organic and conventional farms : Challenging ecologists to make biodiversity functional. *Front. Ecol. Environ.*, **6**, 430-438, 2008.
- Makoto, K. *et al.* : Change the menu? Species-dependent feeding responses of millipedes to climate warming and the consequences for plant-soil nitrogen dynamics. *Soil Biol. Biochem.*, **72**, 19-25, 2014.
- Millennium Ecosystem Assessment 編, 横浜国立大学 21 世紀 COE 翻訳委員会訳 : 生態系サービスと人類の将来—国連ミレニアムエコシステム評価—, オーム社, 2007.
- Miura, T. *et al.* : The effects of nitrogen fertilizer on soil microbial communities under conventional and

- conservation agricultural managements in a tropical clay-rich Ultisol. *Soil Sci.*, **181**, 68–74, 2016.
- Oita, A. *et al.* : Substantial nitrogen pollution embedded in international trade. *Nature Geoscience*, 6–10, 2016.
- Orgiazzi, A. *et al.* : *Global Soil Biodiversity Atlas*, European Commission, Joint Research Centre, Ispra, 2016.
- Rockstrom, J. *et al.* : A safe operating space for humanity. *Nature*, **461**, 472–475, 2009.
- Rousseau, L. *et al.* : Soil macrofauna as indicators of soil quality and land use impacts in smallholder agroecosystems of western Nicaragua. *Ecol. Indic.*, **27**, 71–82, 2013.
- Salamanca, E. F. *et al.* : Rainfall manipulation effects on litter decomposition and the microbial biomass of the forest floor. *Appl. Soil Ecol.*, **22**, 271–281, 2003.
- Shibata, H. *et al.* : Nitrogen footprints : Regional realities and options to reduce nitrogen loss to the environment. *AMBIO*, **46**, 129–142, 2017.
- Steffen, W. *et al.* : The Anthropocene : Conceptual and historical perspectives. *Philos. Trans. Royal Soc. A*, **369**, 842–867, 2011.
- Steffen, W. *et al.* : Planetary Boundaries : Guiding human development on a changing planet. *Science*, **347**, 2015.
- Strebl, F. and F. Tataruch : Time trends (1986–2003) of radiocesium transfer to roe deer and wild boar in two Austrian forest regions. *J. Environ. Radioact.*, **98**, 137–152, 2007.
- Tilman, D. and M. Clark : Global diets link environmental sustainability and human health. *Nature*, **515**, 518–522, 2014.
- Tilman, D. *et al.* : Agricultural sustainability and intensive production practices. *Nature*, **418**, 671–677, 2002.
- Tilman, D. *et al.* : Biodiversity and ecosystem functioning. *Annu. Rev. Ecol. Evol. Syst.*, **45**, 471–493, 2014.
- Tsiafouli, M. A. *et al.* : Intensive agriculture reduces soil biodiversity across Europe. *Glob. Change Biol.*, **21**, 973–985, 2015. doi : 10.1111/gcb.12752
- de Vries, F. T. *et al.* : Soil food web properties explain ecosystem services across European land use systems. *PNAS*, **110**, 14296–14301, 2013.
- Wall, D. H. *et al.* : Soil biodiversity and human health. *Nature*, **529**, 69–76, 2015.
- Zaitsev, A. S. *et al.* : Ionizing radiation effects on soil biota : Application of lessons learned from Chernobyl accident for radioecological monitoring. *Pedobiologia*, **57**, 5–14, 2014.



参 考 文 献

本書引用文献・参考文献の書誌情報は、朝倉書店ウェブサイト (<https://www.asakura.co.jp/>) よりダウンロードできます。検索の際にご活用ください。

≡ 第1章

- 久馬一剛：土はなんだろうか，京都大学学術出版会，2005。
日本土壤肥料学会「土のひみつ」編集グループ編：土のひみつ—食料・環境・生命—，朝倉書店，2015。
藤井一至：大地の五億年—せめぎあう土と生き物たち—，ヤマケイ新書，2015。
陽 捷行：18 cm の奇跡，三五館，2015。
レオポルド・バル：土壤動物による土壤の熟成，博友社，1994。

≡ 第2章

- 石井圭一：アメーバ図鑑（掘上英紀・木原 章編），金原出版，1999。
日本土壤微生物学会編：新・土の微生物（7）生態的にみた土の原生動物・藻類，博友社，2000。
本間善久：食菌性土壤小動物による土壤病害の生物防除，植物防疫，**39**(12)，553-559，1985。
Bamforth, S.S.：Sampling and enumerating soil protozoa. In： *Protocols in Protozoology*. (Lee J.J. and A. T. Soldo eds.), B-5.1-B-5.3, Society of Protozoologists, Allen Press, 1992.

≡ 第3章

- 石橋信義編：線虫の生物学，東京大学出版会，2003。
日本土壤肥料学会編：土壌の原生生物・線虫群集—その土壌生態系での役割—，博友社，2009。
二井一禎他編：微生物生態学への招待—森をめぐるマイクロな世界—，京都大学学術出版会，2012。
水久保隆之・二井一禎編：線虫学実験，京都大学出版会，2014。
McGawley, E. C. *et al.* eds.：Introduction to nematodes, 2011. http://nematode.net/NN3_frontpage.cgi?nav_bar_selection=home&subnav_selection=introduction_to_nematodes

≡ 第4章

- 青木淳一：土壤動物学—分類・生態・環境との関係を中心に—，北隆館，1973。
青木淳一：日本産土壤動物—分類のための図解検索第2版—，東海大学出版部，2015。
金子信博：土壤生態学入門—土壤動物の多様性と機能—，東海大学出版会，2007。
曾田貞滋：新オサムシ学—生態から進化まで—，北隆館，2013。
田辺 力：多足類読本—ムカデとヤスデの生物学—，東海大学出版会，2001。
吉村 剛ほか：シロアリの辞典，海青社，2012。

≡ 第5章

石塚小太郎・皆越ようせい：ミミズ図鑑，全国農村教育協会，2014.

山口英二：ミミズの話，北隆館，1970.

渡辺弘之：ミミズの雑学，北隆館，2012.

≡ 第6章

大串隆之他編：生物間ネットワークを紐とく，京都大学学術出版会，2009.

大園享司：基礎から学べる菌類生態学，共立出版，2018.

大園享司・鏡味麻衣子編：微生物の生態学，共立出版，2011.

東樹宏和：DNA情報で生態系を読み解く—環境DNA・大規模群集調査・生態ネットワーク—，共立出版，2016.

二井一禎・肘井直樹編著：森林微生物生態学，朝倉書店，2000.

≡ 第7章

武田博清：トビムシの住む森—土壤動物から見た森林生態系—(生態学ライブラリー)，京都大学学術出版会，2002.

日本土壤動物学会編：土壤動物学への招待—採集からデータ解析まで—，東海大学出版会，2007.

Coleman, D. *et al.* : *Fundamentals of Soil Ecology* 3rd Edition, Academic Press, 2017.

Bardgett, R.D. : *The Biology of Soil : A Community and Ecosystem Approach*, Oxford University Press, 2005.

バージェット, R.D.・D.A. ワードル著，深澤 遊他訳：地上と地下のつながりの生態学—生物間相互作用から環境変動まで—，東海大学出版部，2016.

Wall, D.H. *et al.* : *Soil Ecology and Ecosystem Services*, Oxford University Press, 2012.

≡ 第8章

内海俊介・中村誠宏：(生態学フィールド調査法シリーズ8) 動物—植物相互作用調査法，共立出版，2017.

バージェット, R.D.・D.A. ワードル著，深澤 遊他訳：地上と地下のつながりの生態学—生物間相互作用から環境変動まで—，東海大学出版部，2016.

藤崎憲治他：昆虫生態学，朝倉書店，2014.

森田茂紀編：根のデザイン—根が作る食料と環境—，養賢堂，2003.

デクローン, H.・E.J.W. フィッシャー著，森田茂紀・田島亮介監訳：根の生態学，シュプリンガー・ジャパン株式会社，2008.

≡ 第9章

バージェット, R.D.・D.A. ワードル著，深澤 遊他訳：地上と地下のつながりの生態学—生物間相互作用から環境変動まで—，東海大学出版部，2016.

Bardgett R.D. : *The Biology of Soil : A Community and Ecosystem Approach*, Oxford University Press, 2005.

≡ 第10章

柴田英昭編：(森林科学シリーズ7) 森林と土壌，共立出版，2018.

柴田英昭編：(森林科学シリーズ8) 森林と物質循環，共立出版，2018.

森林立地学会編：森のバランス—植物と土壌の相互作用—，東海大学出版会，2012.

Millennium ecosystem Assessment 編，横浜国立大学21世紀COE翻訳委員会訳：生態系サービスと人類の将来—国連ミレニアムエコシステム評価—，オーム社，2007.

≡ 第11章

石井龍一他編：環境保全型農業事典，丸善，2005.

デイビッド・モントゴメリー著，片岡夏実訳：土の文明史，築地書館，2010.

デイビッド・モントゴメリー，アン・ビクレー著，片岡夏実訳：土と内臓，築地書館，2016.

日本土壤肥料学会編：世界の土・日本の土は今—地球環境・異常気象・食料問題を土からみると—，2015.

≡ 第12章

中西友子編著：土壌汚染 フクシマの放射性物質のゆくえ (NHK ブックス)，2013.

日本生態学会：(エコロジー講座3) なぜ地球の生きものを守るのか (宮下 直・矢原徹一編)，2010.

日本生態学会：(エコロジー講座4) 地球環境問題に挑む生態学 (仲岡雅裕編)，2011.